


Amendments to the Claims


The following list of claims replaces all previous claim listings.

1. (Previously presented) A moderately resistive rubber member comprising a rubber-like elastic material formed through vulcanization of a moderately resistive rubber composition comprising an unvulcanized rubber base and at least one ionic liquid contained in the rubber base, the ionic liquid serving as an electrically conductive material and being a molten salt which is in liquid form at ambient temperature, wherein the ionic liquid is added in an amount of at least 0.1 parts by weight with respect to 100 parts by weight of the unvulcanized rubber base.

2. (Previously presented) The moderately resistive rubber member according to claim 1, wherein the ionic liquid contains a cationic species selected from the group consisting of cationic species represented by the following formulas (1) through (4):




(wherein R₁ represents a C4-C10 hydrocarbon group; each of R₂ and R₃ represents a hydrogen atom, or a C1-C8 alkyl group; which R₁, R₂ or R₃ may contain a hetero atom; and, when the nitrogen atom has a double bond, R₃ is absent);




(wherein R₄ represents a C2-C10 hydrocarbon group, and each of R₅, R₆, and R₇ represents a

hydrogen atom, or a C1-C8 alkyl group, which R₄, R₅, R₆ or R₇ may contain a hetero atom);



(wherein R₈ represents a C2-C10 hydrocarbon group, and each of R₉ and R₁₀ represents a hydrogen atom, or a C1-C8 alkyl group, which R₈, R₉, or R₁₀ may contain a hetero atom); and



(wherein Q represents a nitrogen atom, a phosphorus atom, or a sulfur atom; each of R₁₁, R₁₂, R₁₃, and R₁₄ represents a hydrogen atom, or a C1-C8 alkyl group, which R₁₁, R₁₂, R₁₃ or R₁₄ may contain a hetero atom; and, when Q is a sulfur atom, R₁₁ is absent).

3. (Previously presented) The moderately resistive rubber member according to claim 1, wherein the ionic liquid contains an anionic species selected from among AlCl₄⁻, Al₂Cl₇⁻, NO₃⁻, BF₄⁻, PF₆⁻, CH₃COO⁻, CF₃COO⁻, CF₃SO₃⁻, (CF₃SO₂)₂N⁻, (CF₃SO₂)₃C⁻, AsF₆⁻, SbF₆⁻, F(HF)_n⁻, CF₃CF₂CF₂CF₂SO₃⁻, (CF₃CF₂SO₂)₂N⁻, and CF₃CF₂CF₂COO⁻.

4. (Canceled)

5. (Previously presented) The moderately resistive rubber member according to claim 1, which has a volume resistivity of 1×10^3 to $1 \times 10^9 \Omega \cdot \text{cm}$.

6. (Canceled)


7. (Canceled)

8. (New) The moderately resistive rubber member according to claim 1, wherein the ionic liquid contains a cationic species selected from the group consisting of an imidazolium ion, a pyridinium ion and a cationic species represented by the following formula (1):

U.S. Patent Application No.: 10/734,021

Filing Date: 10 December 2003

First Named Inventor: Hidetoshi AOKI



wherein each of R_2 and R_3 represents a hydrogen atom or a C1-C8 alkyl group.